

To: Putz, Andrea[Andrea.Putz@cityofchicago.org]
Cc: Stark, Alan[Alan.Stark@cityofchicago.org]
From: Deltoral, Miguel
Sent: Wed 9/25/2013 9:51:45 PM
Subject: RE: question

Hi Andrea,

In the info you folks provided initially, both were listed as having lead services. I remember Site 2 was found not to have a LSL after we did the first round of sequential sampling. We had questioned whether they had one after we received your info, but we did the June sequential sampling anyway, just in case. Every result (4 from March/April and 12 from June) was literally zero. I don't recall the details on site 15 and I don't have access to our old database from home. I will be in the office tomorrow, so I will look that site up.

Miguel A. Del Toral
Regulations Manager
U.S. EPA R5 GWDWB
77 West Jackson Blvd, (WG-15J)
Chicago, IL 60604
Phone: (312) 886-5253

From: Putz, Andrea [Andrea.Putz@cityofchicago.org]
Sent: Wednesday, September 25, 2013 04:15 PM
To: Deltoral, Miguel
Cc: Stark, Alan
Subject: question

I can't remember and I don't have in my notes, how did you guys determine that sites 2 and 15 didn't have lead services? Cause in my notes they do...

This e-mail, and any attachments thereto, is intended only for use by the addressee(s) named herein and may contain legally privileged and/or confidential information. If you are not the intended recipient of this e-mail (or the person responsible for delivering this document to the intended recipient), you are hereby notified that any dissemination, distribution, printing or copying of this e-mail, and any attachment thereto, is strictly prohibited. If you have received this e-mail in error, please respond to the individual sending the message, and permanently delete the original and any copy of any e-mail and printout thereof.